

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : CARETEX Powder Ultra
Product code : 481
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses**

Main use category : Professional use
Use of the substance/mixture : Detergent powders

Uses advised against

Restrictions on use : The product should not be used for purposes other than those shown above without first referring to the supplier and obtaining written handling instructions

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Christeyns NV
Afrikalaan 182
9000 GENT
Belgium
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44
info@christeyns.be, www.christeyns.com

Distributor

Christeyns UK Ltd.
Rutland Street
GB Bradford BD4 7EA
United Kingdom
T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43
info@christeyns.be, www.christeyns.com

Distributor

Christeyns Professional Hygiene UK Ltd
Clover House
Macclesfield Road
SK23 7DQ Whaley Bridge, Derbyshire
United Kingdom
T 01663 733114, F 01663 733115
info.cph.uk@christeyns.com, www.christeyns-ph.co.uk

Distributor

Christeyns Technologies Ireland Ltd
Station Road
F12 YW84 Newtown South Ballindine, Co. Mayo
Ireland
T 00353 94 936 4011
info@christeyns.ie, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd
2, Cameron Court, Winwick Quay
GB WA2 8RE Warrington, Cheshire
United Kingdom
T +44 (0)1925 23 46 96
UK-foodinfo@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains

: Alcohol ethoxylate; Sodium disilicate; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and benzenesulfonic acid, 4-methyl-, reaction products with sodium hydroxide; Sodium percarbonate

Hazard statements (CLP)

: H318 - Causes serious eye damage.

Precautionary statements (CLP)

: P280 - Wear eye protection.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium carbonate substance with national workplace exposure limit(s) (GB, RO)	CAS-no: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-19	10 – 30	Eye Irrit. 2, H319
Sodium percarbonate substance with national workplace exposure limit(s) (GB)	CAS-no: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268-30	10 – 30	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 (ATE=1034 mg/kg) Eye Dam. 1, H318
Alcohol ethoxylate	CAS-no: 157627-86-6 EC-No.: 500-337-8 REACH-no: Exempted	5 – 10	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318 Aquatic Chronic 3, H412
sodium bicarbonate substance with national workplace exposure limit(s) (GB, LV)	CAS-no: 144-55-8 EC-No.: 205-633-8 REACH-no: 01-2119457606-32	3 – 5	Not classified
TAED substance with national workplace exposure limit(s) (GB)	CAS-no: 10543-57-4 EC-No.: 234-123-8 REACH-no: 01-2119453617-33	1 – 3	Not classified
Alcohol ethoxylate	CAS-no: 160901-19-9 EC-No.: 500-457-0 REACH-no: Exempted	1 – 3	Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and benzenesulfonic acid, 4-methyl-, reaction products with sodium hydroxide	CAS-no: 68411-30-3 EC-No.: 932-051-8 REACH-no: 01-2119565112-48	1 – 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: In case of doubt or persistent symptoms, consult always a physician.
Inhalation	: Take victim to fresh air, in a quiet place and if necessary take medical advice.
Skin contact	: In case of faintness or symptoms of skin irritation appear, take medical advice. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Ingestion	: Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation	: Presents no particular risk when handled in accordance with good occupational hygiene practice.
Acute effects skin	: To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.
Acute effects eyes	: Causes serious eye damage.
Acute effects oral route	: Presents no particular risk when handled in accordance with good occupational hygiene practice.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: All extinguishing agents can be used.
------------------------------	---

5.2. Special hazards arising from the substance or mixture

Explosion hazard	: Not applicable.
------------------	-------------------

5.3. Advice for firefighters

Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment	: Concerning personal protective equipment to use, see section 8.
Emergency procedures	: Evacuate unnecessary personnel.

6.2. Environmental precautions

Stop leak without risks if possible. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Shovel or sweep up and put in a closed container for disposal.
-------------------------	--

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hygiene measures	: Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store tightly closed in a dry and cool place.
Material(s) to avoid	: Never mix with other materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

sodium carbonate (497-19-8)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	4 mg/m ³ respirable dust

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium percarbonate (15630-89-4)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	4 mg/m ³ respirable dust
sodium bicarbonate (144-55-8)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	0 mg/m ³
TAED (10543-57-4)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	4 mg/m ³ respirable dust
DNEL and PNEC	
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and benzenesulfonic acid, 4-methyl-, reaction products with sodium hydroxide (68411-30-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	12 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0.85 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3 mg/m ³
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.268 mg/l
PNEC aqua (marine water)	0.0268 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	8.1 mg/kg dwt
PNEC sediment (marine water)	8.1 mg/kg dwt
PNEC (Soil)	
PNEC soil	35 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	5.6 mg/l
sodium carbonate (497-19-8)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	10 mg/m ³
Sodium percarbonate (15630-89-4)	
DNEL/DMEL (Workers)	
Acute - local effects, dermal	12.8 mg/cm ²
Long-term - local effects, dermal	12.8 mg/cm ²
Long-term - local effects, inhalation	5 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, dermal	6.4 mg/cm ²
Long-term - local effects, dermal	6.4 mg/cm ²
PNEC (Water)	
PNEC aqua (freshwater)	0.035 mg/l

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium percarbonate (15630-89-4)	
PNEC aqua (marine water)	0.035 mg/l
PNEC aqua (intermittent, freshwater)	0.035 mg/l
PNEC (STP)	
PNEC sewage treatment plant	16.24 mg/l
TAED (10543-57-4)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	20 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6.4 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0.45 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	75 mg/m³
Long-term - systemic effects, dermal	10 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	0.5 mg/l
PNEC aqua (intermittent, freshwater)	10 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2.5 mg/kg dwt
PNEC (Soil)	
PNEC soil	5 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	3 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l

8.2. Exposure controls

Personal protection equipment

Eye and face protection

Eye protection:

Safety glasses with side-shields (EN 166)

Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: White + blue points.
Physical state/form	: Powder.
Odour	: perfumed.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: Not determined as it is not relevant for the characterization of the product
Flammability	: Not determined as it is not relevant for the characterization of the product
Lower explosion limit	: Does not apply to solids.
Upper explosion limit	: Does not apply to solids.
Flash point	: Does not apply to solids.
Autoignition temperature	: Does not apply to solids.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
pH	: 10.6
pH solution concentration	: 1 % ± 0.5
Viscosity, kinematic	: Does not apply to solids.
Solubility	: Water: Partially soluble
Partition coefficient n-octanol/water (Log Kow)	: Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.963 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Only applies to gases and liquids.
Particle size	: Not available
Particle size distribution	: 0,43% < 100µm ; 0,16 % > 2000 µm

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Humid air.

10.5. Incompatible materials

Never mix with other materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Alcohol ethoxylate (157627-86-6)	
LD50 oral rat	300 – 2000
LD50 dermal rabbit	> 2000 mg/kg
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and benzenesulfonic acid, 4-methyl-, reaction products with sodium hydroxide (68411-30-3)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg bodyweight Animal: rat
LD50 oral	4090 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:
LD50 dermal	> 2000 mg/kg bodyweight

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sodium carbonate (497-19-8)	
LC50 Inhalation - Rat (Dust/Mist)	2300 mg/l
Sodium percarbonate (15630-89-4)	
LD50 oral rat	1034 mg/kg Source: OECD SIDS, IUCLID
LD50 oral	1034 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:
LD50 dermal	> 2000 mg/kg bodyweight
sodium bicarbonate (144-55-8)	
LD50 oral rat	4220 mg/kg Source: IUCLID, HSDB
LD50 oral	4220 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	4740 mg/l
TAED (10543-57-4)	
LD50 oral rat	> 2000 mg/kg Source: IUCLID
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 2.08 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 2080 mg/l
Skin corrosion/irritation	: Not classified pH: 10.6
sodium carbonate (497-19-8)	
pH	≈ 11.6 Concentration: (≈)0,1 other:
sodium bicarbonate (144-55-8)	
pH	8.3
TAED (10543-57-4)	
pH	5
Serious eye damage/irritation	: Causes serious eye damage. pH: 10.6
sodium carbonate (497-19-8)	
pH	≈ 11.6 Concentration: (≈)0,1 other:
sodium bicarbonate (144-55-8)	
pH	8.3
TAED (10543-57-4)	
pH	5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and benzenesulfonic acid, 4-methyl-, reaction products with sodium hydroxide (68411-30-3)	
LOAEL (oral, rat, 90 days)	145 mg/kg bodyweight/day

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

TAED (10543-57-4)	
NOAEL (oral, rat, 90 days)	90 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≥ 0.283 mg/l air Animal: rat

Aspiration hazard : Not classified

CARETEX Powder Ultra	
Viscosity, kinematic	Does not apply to solids.

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Alcohol ethoxylate (157627-86-6)	
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	1 – 10 mg/l
ErC50 other aquatic plants	1 – 10 mg/l
NOEC chronic crustacea	> 0.1 (≤ 1) mg/l

Alcohol ethoxylate (160901-19-9)	
LC50 - Fish [1]	0.1 – 1 mg/l (Danio rerio - OESO 203 - ECHA)
EC50 - Crustacea [1]	0.1 – 1 mg/l (Daphnia magna - ECHA)
ErC50 algae	0.1 – 1 mg/l
NOEC chronic fish	> 0.1 mg/l
NOEC chronic algae	0.14 mg/l (CESIO)

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and benzenesulfonic acid, 4-methyl-, reaction products with sodium hydroxide (68411-30-3)

LC50 - Fish [1]	> 1 (≤ 10) mg/l
-----------------	-----------------

sodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Other aquatic organisms [1]	265 mg/l waterflea
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX

Sodium percarbonate (15630-89-4)	
LC50 - Fish [1]	> 70 mg/l
EC50 - Crustacea [1]	4.9 mg/l Test organisms (species): Daphnia pulex
EC50 - Other aquatic organisms [1]	4.9 mg/l waterflea
EC50 72h - Algae [1]	7.7 mg/l Crupina vulgaris
ErC50 algae	> 7.7 mg/l Source: SIDS
NOEC chronic crustacea	2 mg/l Daphnia magna (Water flea)
NOEC chronic algae	0.3 mg/l Crupina vulgaris

sodium bicarbonate (144-55-8)	
LC50 - Fish [1]	7100 mg/l
EC50 - Crustacea [1]	4100 mg/l Source: EPA OPP 72-2

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sodium bicarbonate (144-55-8)	
EC50 - Other aquatic organisms [1]	4100 mg/l waterflea
NOEC chronic fish	5200 mg/l <i>Lepomis macrochirus</i> (Bluegill)
NOEC chronic crustacea	> 576 mg/l 21 days, <i>Daphnia magna</i>
TAED (10543-57-4)	
LC50 - Fish [1]	> 500 mg/l
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): <i>Daphnia magna</i>
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)
12.2. Persistence and degradability	
CARETEX Powder Ultra	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Alcohol ethoxylate (157627-86-6)	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.
Biodegradation	≥ 90 % (mod. OECD 303A)
Alcohol ethoxylate (160901-19-9)	
Persistence and degradability	Readily biodegradable.
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and benzenesulfonic acid, 4-methyl-, reaction products with sodium hydroxide (68411-30-3)	
Persistence and degradability	Rapidly degradable
TAED (10543-57-4)	
Biodegradation	68 – 95 % 28 days. OECD 301 B
12.3. Bioaccumulative potential	
CARETEX Powder Ultra	
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Alcohol ethoxylate (157627-86-6)	
Partition coefficient n-octanol/water (Log Kow)	< 4
Alcohol ethoxylate (160901-19-9)	
Log Pow	5.15
Partition coefficient n-octanol/water (Log Kow)	5.15
Bioaccumulative potential	No bioaccumulation.
sodium carbonate (497-19-8)	
Log Pow	-6.19
sodium bicarbonate (144-55-8)	
Log Pow	-4.01
TAED (10543-57-4)	
Log Pow	-0.09
Partition coefficient n-octanol/water (Log Kow)	-0.1

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

TAED (10543-57-4)	
Mobility in soil	2.5

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

European List of Waste (LoW, EC 2000/532)

: 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
Not regulated for transport		
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List < 0.1% or SCL.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
zeolites, Oxygen-based bleaching agents	15-30%
non-ionic surfactants	5-15%
anionic surfactants	<5%
enzymes	
optical brighteners	
METHYL BENZOATE	
perfumes	
HEXYL CINNAMAL	

Fragrance allergens > 0.01%:

HEXYL CINNAMAL

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ErC50 (algae)	ErC50 (algae)
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic

CARETEX Powder Ultra

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Dam. 1	H318	Calculation method
------------	------	--------------------

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.